

Cim 17CR FULL BORE BALL VALVE - "CR" BRASS - T16 SERIES - STEEL LEVER HANDLE



This article was made in compliance with the quality management requirements of ISO 9001 standard. All articles are tested according to the EN 12266-1 standard. It can be used in a wide variety of sectors: heating, air conditioning, water, sanitary systems, pneumatic systems, oil pipelines, gasoline networks, saturated steam and generally with any non corrosive liquid.


It is guaranteed for 5 years.

It is made of a "CR" - "DZR" brass alloy that complies with standard EN 12165-CW625N-DW.


Nominal Pressure: PN32 Operating temperature: -20 ÷ 150°C

FLOW AND PRESSURE DROP

PRESSURE TEMPERATURE RATINGS



TECHNICAL DRAWING



1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
10	10	15	20	25	32	40	50
115	120	185	280	465	710	1060	1590
65	65	90	90	110	110	150	150
33	33	47	52	56,5	65,5	81	88
45	47	55	60	74	81	95	112
11,5	12,5	14	14,5	17	17,5	18	20
18	20	25	31	38	47	54	66
	10 115 65 33 45 11,5	10 10 115 120 65 65 33 33 45 47 11,5 12,5	10 10 15 115 120 185 65 65 90 33 33 47 45 47 55 11,5 12,5 14	1010152011512018528065659090333347524547556011,512,51414,5	1010152025115120185280465656590901103333475256,5454755607411,512,51414,517	101015202532115120185280465710656590901101103333475256,565,545475560748111,512,51414,51717,5	10 10 15 20 25 32 40 115 120 185 280 465 710 1060 65 65 90 90 110 110 150 33 33 47 52 56,5 65,5 81 45 47 55 60 74 81 95 11,5 12,5 14 14,5 17 17,5 18

Thread: ISO 7 - Rp

Upon request: ISO 7 - Rc ANSI B1.20.1 - NPT

TECHNICAL CHARACTERISTICS

KV CM CS MT										
DN	1/4"	3/8"	1/2"	3/4"	1"	1''1/4	1''1/2	2"		
Ømm	10	10	15	20	25	32	40	50		
KV	8	10	17	41	68	123	198	290		
СМ	1	1	1,5	2	4	5	8	11		
CS	2	2	3	4	7	10	16	20		
MT	10	10	24	24	26	26	88	88		

 $KV = Capacity in m^3/h at pressure drop of 1 bar.$

CM = Operating torque in Nm.

CS = Starting torque in Nm.

MT = Stem breaking torque in Nm.

REACH Regulation

According to article 33 of REACH Regulation, we inform you that the components made of bronze and brass alloys that are parts of the articles we supply, contain the lead (as alloy component) in a higher quantity of the limit of 0,1% in weight. Lead has been inserted in the list of SVHC substances nominated for the authorisation process, in the updating published by the European Chemical Agency ECHA on 27th June 2018. Lead has been introduced with the following information:

- Substance: Lead
- CAS: 7439-92-1
- EC: 231-100-4
- List: SVHC
- Data of Inclusion: 27th June 2018

Since lead is an element of the alloy, no exposure is expected and consequently, no further information is requested for the safe use of this product.

The list is available at the following link: https://echa.europa.eu/it/candidate-list-tableand since it is a continuously



updated list, we declare the constant monitoring about insertion of new substances and the prompt on time information to our customers in case such substances should be contained in the products we supply.

Make sure product materials and features are suitable for system scope and conform to the local regulations in force

OUR CERTIFICATIONS



















28017 SAN MAURIZIO D'OPAGLIO (Novara) - Italy - Via Torchio, 57 tel.: +39 0322 923001 - http://www.cimberio.com - e-mail: info@cimberio.it