

## Cim 737

### BALANCING VALVE WITH METERING STATION - PN 20 - "CR" BRASS



This article was made in compliance with the quality management requirements of ISO 9001 standard.

All articles are tested according to the EN 12266-1 standard.

It can be used in a wide variety of sectors: heating, air conditioning, water, sanitary systems and generally with any non corrosive liquid.


It is guaranteed for 5 years.

It is made of a "CR" - "DZR" brass alloy that complies with standard EN 1982-CC770S.

Nominal Pressure: PN20

Operating temperature: -10 to 120°C

### FLOW AND PRESSURE DROP



Notes:


1 l/s = 3.6 m<sup>3</sup>/h

1 m<sup>3</sup>/h = 0.278 l/s

1 kPa = approx. 100 mm

1 bar = 100 kPa

### PRESSURE TEMPERATURE RATINGS



Notes:


1 bar = 14,5 psi

1 bar = 14,5 lbf/in<sup>2</sup>

°C = 5/9 x (°F-32)

°F = 32 + (9/5 x °C)

## TECHNICAL DRAWING



DN	1/2"UL	1/2"L	1/2"ML	1/2"MS	1/2"	3/4"	1"	1"1/4	1"1/2	2"
<b>Grms.</b>	<b>700</b>	<b>700</b>	<b>700</b>	<b>700</b>	<b>700</b>	<b>915</b>	<b>1160</b>	<b>1785</b>	<b>2360</b>	<b>3670</b>
A	51	51	51	51	51	51	51	51	57	57
B	103	103	103	104,5	104,5	121	133	141	181	190
C	125	125	125	125	125	128	140	161	172	207,5
C1	195	195	195	196	196	207,5	210	225	269	296
D	15	15	15	15	15	18	21	23	23	28
D1	15	15	15	15	15	16	19	22	21	26
E	205	205	205	205	205	227	236	256	315	345,5
CH	28	28	28	28	28	33	40	51	56	71
CH1	28	28	28	28	28	34	40	51	56	71

Threads:  
ISO 7 - Rp

## TECHNICAL CHARACTERISTICS

KV KVS										
DN	1/2"UL	1/2"L	1/2"ML	1/2"MS	1/2"	3/4"	1"	1"1/4	1"1/2	2"
KV	0,260	0,482	0,825	1,035	1,91	4,43	7,68	16,56	21,49	41,57
KVS	0,23	0,47	0,98	0,98	1,80	4,06	7,45	16,63	23,00	47,35

KV = Flow rate in m<sup>3</sup>/h at a pressure drop of 1 bar

KVS = Water flow rate that causes a pressure drop of 1 bar measured on the pressure connections

### REACH Regulation

According to article 33 of REACH Regulation, we inform you that the components made of bronze and brass alloys that are parts of the articles we supply, contain the lead (as alloy component) in a higher quantity of the limit of 0,1% in weight. Lead has been inserted in the list of SVHC substances nominated for the authorisation process, in the updating published by the European Chemical Agency ECHA on 27th June 2018. Lead has been introduced with the following information:

- Substance: Lead
- CAS: 7439-92-1
- EC: 231-100-4
- List: SVHC
- Data of Inclusion: 27<sup>th</sup> June 2018

Since lead is an element of the alloy, no exposure is expected and consequently, no further information is requested for the safe use of this product.

The list is available at the following link: <https://echa.europa.eu/it/candidate-list-table> and since it is a continuously updated list, we declare the constant monitoring about insertion of new substances and the prompt on time information to our customers in case such substances should be contained in the products we supply.

**Make sure product materials and features are suitable for system scope and conform to the local regulations in force**

## OUR CERTIFICATIONS

